




S-015

COMPACT BODY

AUTOMATIC AIR RELEASE VALVE FOR HIGH PRESSURE COMPACT MODEL

- The AUTOMATIC AIR RELEASE VALVE discharges accumulated air to provide maximum flow efficiency.
- Large orifice enables high flow rates and prevents obstructions.
- A.R.I. PATENTED ROLLING SEAL MECHANISM.
- Body made of high strength materials.
- Internal parts made of corrosion resistant materials.
- The valve body is coated with oven-baked polyester
- Working pressure: 0.2 - 40 bar.
- Light weight: 5.4 Kg.
- Available in 1" and 3/4" , Threaded NPT or BSP, and Flanged.

AUTOMATIC AIR DISCHARGE



DIMENSIONS AND WEIGHT

Nominal Size	Dimensions mm		Weight Kg.	Orifice Area mm ²
	A	B		
3/4" 1"	158	292	5.4	15

PARTS LIST AND SPECIFICATION

No.	Part	Material
1.	Drainage Elbow	PVC
2.	Rollpin	Stainless Steel SAE 304
3.	O-RING	BUNA-N
4.	Nozzle	Reinforced Nylon
5.	Cover	Ductile Iron ASTM A536 60-40-18
6.	Rollpin	Stainless Steel SAE 304
7.	Rolling Seal	E.P.D.M.
8.	Lever Rolling Seal	Reinforced Nylon
9.	Rollpin	Stainless Steel SAE 304
10.	O-RING	BUNA-N
11.	Bolt, Nut & Washer	Steel, Zinc Cobalt Coated
12.	Float	Polycarbonate
13.	Body	Ductile Iron ASTM A536 60-40-18
14.	Adaptor	Brass

